

womens straight leg jeans specs size 女款直筒牛仔裤尺寸表								
	0	1	3	5	7	9	11	13
Waist @ Top edge腰顶自然度	25	26	27	28	29	30	31 1/2	33
WAISTBAND HEIGHT 腰高	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2
FRONT RISE TO TOP EDGE OF BAND 前浪（含腰）	11	11 1/4	11 1/2	11 3/4	12	12 1/4	12 5/8	13
BACK RISE TO TOP EDGE OF BAND 后浪（含腰）	14 1/2	14 3/4	15	15 1/4	15 1/2	15 3/4	16 1/8	16 1/2
Low Hip 8" fm waist (3 pt measure)-HIGH RISE下坐围，腰顶下8"，三点度	36 1/2	37 1/2	38 1/2	39 1/2	40 1/2	41 1/2	43	44 1/2
THIGH (1" B/L CROTCH) 腓围（浪下1寸）	23 1/2	24	24 1/2	25	25 1/2	26	26 3/4	27 1/2
KNEE (13" B/L CROTCH) 膝围（浪下13寸）	20 1/2	21	21 1/2	22	22 1/2	23	23 3/4	24 1/2
LEG OPENING (STRAIGHT) 脚口	20	20 1/2	21	21 1/2	22	22 1/2	23 1/4	24
INSEAM 内长	29	29	29	29	29	29	29	29
ZIPPER LENGTH 钮牌双线J长度,到打枣线	5 1/4	5 1/2	5 1/2	6	6	6 1/2	6 1/2	7
POCKET DETAILS口袋细节尺寸								
Front Pocket Horizontal from SS前袋离侧骨					0			1/2
Front Pocket Vertical from WB seam前袋离腰底					0			1/2
Back Pocket horizontal placement from center of DNTS后袋离后浪双线中					0			1/2
Back Pocket vertical placment from yoke seam @ CB后袋离机头内侧					0			0
Back Pocket vertical placment from yoke seam @ S/S后袋离机头外侧					0			0
Back Pocket width @ top后袋上宽					0			1/2
Back Pocket width @ bttm后袋底宽					0			1/2
Back Pocket Height @ Center后袋中高					0			1/2
Back Pocket Height @ Side后袋侧高					0			1/2
YOKE AND BELT LOOP DETAILS机头耳仔细节								
Yoke Height @ CB机头中高	0	0	0		0	0	0	0
Yoke Height @ S/S机头边高	0	0	0		0	0	0	0
Belt Loop width @ center耳仔宽	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
Belt Loop height @ center耳仔长	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2
Belt Loop placement @ S/S耳仔离侧骨距离	1	1	1	1	1	1	1	1



DSL TECHNOLOGY, INC			
STYLE#	DSL-JFW15	PO.#	ES2024FW-0329
FABRIC#		DATE:	MAR..05/2024
CONTENTS	65% cotton 33% poly 2%spandex		
FITS	HIGH RISE LEG STREIGHT		
COLOUR	LIGHT/MED/DARK		
FACTORY			



确认版
洗水不要猫须

womens straight leg jeans specs size 女款直筒牛仔裤尺寸表								
	0	1	3	5	7	9	11	13
Waist @ Top edge腰顶自然度	25	26	27	28	29	30	31 1/2	33
WAISTBAND HEIGHT 腰高	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2
FRONT RISE TO TOP EDGE OF BAND 前浪（含腰）	11	11 1/4	11 1/2	11 3/4	12	12 1/4	12 5/8	13
BACK RISE TO TOP EDGE OF BAND 后浪（含腰）	14 1/2	14 3/4	15	15 1/4	15 1/2	15 3/4	16 1/8	16 1/2
Low Hip 8" fm waist (3 pt measure)-HIGH RISE下坐围，腰顶下8"，三点度	36 1/2	37 1/2	38 1/2	39 1/2	40 1/2	41 1/2	43	44 1/2
THIGH (1" B/L CROTCH) 脾围（浪下1寸）	23 1/2	24	24 1/2	25	25 1/2	26	26 3/4	27 1/2
KNEE (13" B/L CROTCH) 膝围（浪下13寸）	20 1/2	21	21 1/2	22	22 1/2	23	23 3/4	24 1/2
LEG OPENING （STRAIGHT）脚口	20	20 1/2	21	21 1/2	22	22 1/2	23 1/4	24
INSEAM 内长	29	29	29	29	29	29	29	29
ZIPPER LENGTH 钮牌双线J长度,到打枣线	5 1/4	5 1/2	5 1/2	6	6	6 1/2	6 1/2	7
POCKET DETAILS口袋细节尺寸								
Front Pocket Horizontal from SS前袋离侧骨					0			1/2
Front Pocket Vertical from WB seam前袋离腰底					0			1/2
Back Pocket horizontal placement from center of DNTS后袋离后浪双线中					0			1/2
Back Pocket vertical placment from yoke seam @ CB后袋离机头内侧					0			0
Back Pocket vertical placment from yoke seam @ S/S后袋腰机头外侧					0			0
Back Pocket width @ top后袋上宽					0			1/2
Back Pocket width @ bttm后袋底宽					0			1/2
Back Pocket Height @ Center后袋中高					0			1/2
Back Pocket Height @ Side后袋侧高					0			1/2
YOKE AND BELT LOOP DETAILS机头耳仔细节								
Yoke Height @ CB机头中高	0	0	0		0	0	0	0
Yoke Height @ S/S机头边高	0	0	0		0	0	0	0
Belt Loop width @ center耳仔宽	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
Belt Loop height @ center耳仔长	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2
Belt Loop placement @ S/S耳仔离侧骨距离	1	1	1	1	1	1	1	1

DSL TECHNOLOGY, INC			
STYLE#	DSL-JFW16	PO.#	ES2024FW-00329
FABRIC#		DATE:	MAR.05/2024
CONTENTS	65% cotton 33% poly 2%spandex		
FITS	HIGH RISE LEG STREIGHT		
COLOUR	BLACK		
FACTORY			



确认版

洗水不要猫须

womens straight leg jeans specs size 女款直筒牛仔裤尺寸表									DSL TECHNOLOGY, INC			
	0	1	3	5	7	9	11	13	STYLE#	DSL-JFW17	PO.#	ES2024FW-0329
Waist @ Top edge腰顶自然度	25	26	27	28	29	30	31 1/2	33	FABRIC#		DATE:	MAR.05/2024
WAISTBAND HEIGHT 腰高	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	CONTENTS	65% cotton 33% poly 2%spandex		
FRONT RISE TO TOP EDGE OF BAND 前浪（含腰）	11	11 1/4	11 1/2	11 3/4	12	12 1/4	12 5/8	13	FITS	HIGH RISE LEG STREIGHT		
BACK RISE TO TOP EDGE OF BAND 后浪（含腰）	14 1/2	14 3/4	15	15 1/4	15 1/2	15 3/4	16 1/8	16 1/2	COLOUR	LIGHT/MED/DARK		
Low Hip 8" fm waist (3 pt measure)-HIGH RISE下坐围，腰项下8"，三点度	36 1/2	37 1/2	38 1/2	39 1/2	40 1/2	41 1/2	43	44 1/2	FACTORY			
THIGH (1" B/L CROTCH) 脾围（浪下1寸）	23 1/2	24	24 1/2	25	25 1/2	26	26 3/4	27 1/2				
KNEE (13" B/L CROTCH) 膝围（浪下13寸）	20 1/2	21	21 1/2	22	22 1/2	23	23 3/4	24 1/2				
LEG OPENING （STRAIGHT）脚口	20	20 1/2	21	21 1/2	22	22 1/2	23 1/4	24				
INSEAM 内长	29	29	29	29	29	29	29	29				
ZIPPER LENGTH 钮牌双线J长度,到打枣线	5 1/4	5 1/2	5 1/2	6	6	6 1/2	6 1/2	7				
POCKET DETAILS口袋细节尺寸												
Front Pocket Horizontal from SS前袋离侧骨					0			1/2				
Front Pocket Vertical from WB seam前袋离腰底					0			1/2				
Back Pocket horizontal placement from center of DNTS后袋离后浪双线中					0			1/2				
Back Pocket vertical placment from yoke seam @ CB后袋离机头内侧					0			0				
Back Pocket vertical placment from yoke seam @ S/S后袋腰机头外侧					0			0				
Back Pocket width @ top后袋上宽					0			1/2				
Back Pocket width @ bttm后袋底宽					0			1/2				
Back Pocket Height @ Center后袋中高					0			1/2				
Back Pocket Height @ Side后袋侧高					0			1/2				
YOKE AND BELT LOOP DETAILS机头耳仔细节									<div>确认版</div> <div>水洗不要猫</div>			
Yoke Height @ CB机头中高	0	0	0		0	0	0	0				
Yoke Height @ S/S机头边高	0	0	0		0	0	0	0				
Belt Loop width @ center耳仔宽	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2				
Belt Loop height @ center耳仔长	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2				
Belt Loop placement @ S/S耳仔离侧骨距离	1	1	1	1	1	1	1	1				

womens straight leg jeans specs size 女款直筒牛仔裤尺寸表								
	0	1	3	5	7	9	11	13
Waist @ Top edge腰顶自然度	25	26	27	28	29	30	31 1/2	33
WAISTBAND HEIGHT 腰高	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2
FRONT RISE TO TOP EDGE OF BAND 前浪（含腰）	11	11 1/4	11 1/2	11 3/4	12	12 1/4	12 5/8	13
BACK RISE TO TOP EDGE OF BAND 后浪（含腰）	14 1/2	14 3/4	15	15 1/4	15 1/2	15 3/4	16 1/8	16 1/2
Low Hip 8" fm waist (3 pt measure)-HIGH RISE下坐围，腰顶下8"，三点度	36 1/2	37 1/2	38 1/2	39 1/2	40 1/2	41 1/2	43	44 1/2
THIGH (1" B/L CROTCH) 脾围（浪下1寸）	23 1/2	24	24 1/2	25	25 1/2	26	26 3/4	27 1/2
KNEE (13" B/L CROTCH) 膝围（浪下13寸）	20 1/2	21	21 1/2	22	22 1/2	23	23 3/4	24 1/2
LEG OPENING (STRAIGHT) 脚口	20	20 1/2	21	21 1/2	22	22 1/2	23 1/4	24
INSEAM 内长	29	29	29	29	29	29	29	29
ZIPPER LENGTH 钮牌双线J长度,到打枣线	5 1/4	5 1/2	5 1/2	6	6	6 1/2	6 1/2	7
POCKET DETAILS口袋细节尺寸								
Front Pocket Horizontal from SS前袋离侧骨					0			1/2
Front Pocket Vertical from WB seam前袋离腰底					0			1/2
Back Pocket horizontal placement from center of DNTS后袋离后浪双线中					0			1/2
Back Pocket vertical placment from yoke seam @ CB后袋离机头内侧					0			0
Back Pocket vertical placment from yoke seam @ S/S后袋离机头外侧					0			0
Back Pocket width @ top后袋上宽					0			1/2
Back Pocket width @ bttm后袋底宽					0			1/2
Back Pocket Height @ Center后袋中高					0			1/2
Back Pocket Height @ Side后袋侧高					0			1/2
YOKE AND BELT LOOP DETAILS机头耳仔细节								
Yoke Height @ CB机头中高	0	0	0		0	0	0	0
Yoke Height @ S/S机头边高	0	0	0		0	0	0	0
Belt Loop width @ center耳仔宽	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
Belt Loop height @ center耳仔长	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2
Belt Loop placement @ S/S耳仔离侧骨距离	1	1	1	1	1	1	1	1

DSL TECHNOLOGY, INC			
STYLE#	DSL-JFW18	PO.#	ES2024FW-0329
FABRIC#		DATE:	MAR.05/2024
CONTENTS	65% cotton 33% poly 2%spandex		
FITS	HIGH RISE LEG STREIGHT		
COLOUR	LIGHT/MED/DARK		
FACTORY			



确认版

洗水不要猫须



客户图片版，参考



womens straight leg jeans specs size 女款直筒牛仔裤尺寸表								
	0	1	3	5	7	9	11	13
Waist @ Top edge腰顶自然度	25	26	27	28	29	30	31 1/2	33
WAISTBAND HEIGHT 腰高	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2
FRONT RISE TO TOP EDGE OF BAND 前浪（含腰）	11	11 1/4	11 1/2	11 3/4	12	12 1/4	12 5/8	13
BACK RISE TO TOP EDGE OF BAND 后浪（含腰）	14 1/2	14 3/4	15	15 1/4	15 1/2	15 3/4	16 1/8	16 1/2
Low Hip 8" fm waist (3 pt measure)-HIGH RISE下坐围，腰顶下8"，三点度	36 1/2	37 1/2	38 1/2	39 1/2	40 1/2	41 1/2	43	44 1/2
THIGH (1" B/L CROTCH) 脾围（浪下1寸）	23 1/2	24	24 1/2	25	25 1/2	26	26 3/4	27 1/2
KNEE (13" B/L CROTCH) 膝围（浪下13寸）	20 1/2	21	21 1/2	22	22 1/2	23	23 3/4	24 1/2
LEG OPENING （STRAIGHT）脚口	20	20 1/2	21	21 1/2	22	22 1/2	23 1/4	24
INSEAM 内长	29	29	29	29	29	29	29	29
ZIPPER LENGTH 钮牌双线J长度,到打枣线	5 1/4	5 1/2	5 1/2	6	6	6 1/2	6 1/2	7
POCKET DETAILS口袋细节尺寸								
Front Pocket Horizontal from SS前袋离侧骨					0			1/2
Front Pocket Vertical from WB seam前袋离腰底					0			1/2
Back Pocket horizontal placement from center of DNTS后袋离后浪双线中					0			1/2
Back Pocket vertical placment from yoke seam @ CB后袋离机头内侧					0			0
Back Pocket vertical placment from yoke seam @ S/S后袋离机头外侧					0			0
Back Pocket width @ top后袋上宽					0			1/2
Back Pocket width @ bttm后袋底宽					0			1/2
Back Pocket Height @ Center后袋中高					0			1/2
Back Pocket Height @ Side后袋侧高					0			1/2
YOKE AND BELT LOOP DETAILS机头耳仔细节								
Yoke Height @ CB机头中高	0	0	0		0	0	0	0
Yoke Height @ S/S机头边高	0	0	0		0	0	0	0
Belt Loop width @ center耳仔宽	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
Belt Loop height @ center耳仔长	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2
Belt Loop placement @ S/S耳仔离侧骨距离	1	1	1	1	1	1	1	1



DSL TECHNOLOGY, INC

STYLE#	DSL-JFW21	PO.#	ES2024FW-00329
FABRIC#		DATE:	MAR..05/2024
CONTENTS	65% cotton 33% poly 2%spandex		
FITS	HIGH RISE LEG STREIGHT		
COLOUR	LIGHT/MED/DARK		
FACTORY			



洗水不要猫须

女款直筒牛仔裤尺寸表

	0	1	3	5	7	9	11	13
Waist @ Top edge腰顶自然度	25	26	27	28	29	30	31 1/2	33
WAISTBAND HEIGHT 腰高	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2
FRONT RISE TO TOP EDGE OF BAND 前浪 (含腰)	11	11 1/4	11 1/2	11 3/4	12	12 1/4	12 5/8	13
BACK RISE TO TOP EDGE OF BAND 后浪 (含腰)	14 1/2	14 3/4	15	15 1/4	15 1/2	15 3/4	16 1/8	16 1/2
Low Hip 8" fm waist (3 pt measure)-HIGH RISE下坐围, 腰顶下8", 三点度	36 1/2	37 1/2	38 1/2	39 1/2	40 1/2	41 1/2	43	44 1/2
THIGH (1" B/L CROTCH) 臀围 (浪下1寸)	23 1/2	24	24 1/2	25	25 1/2	26	26 3/4	27 1/2
KNEE (13" B/L CROTCH) 膝围 (浪下13寸)	20 1/2	21	21 1/2	22	22 1/2	23	23 3/4	24 1/2
LEG OPENING (STRAIGHT) 脚口	20	20 1/2	21	21 1/2	22	22 1/2	23 1/4	24
INSEAM 内长	29	29	29	29	29	29	29	29
ZIPPER LENGTH 钮牌双线J长度,到打枣线	5 1/4	5 1/2	5 1/2	6	6	6 1/2	6 1/2	7
POCKET DETAILS口袋细节尺寸								
Front Pocket Horizontal from SS前袋离侧骨					0			1/2
Front Pocket Vertical from WB seam前袋离腰底					0			1/2
Back Pocket horizontal placement from center of DNTS后袋离后浪双线中					0			1/2
Back Pocket vertical placment from yoke seam @ CB后袋离机头内侧					0			0
Back Pocket vertical placment from yoke seam @ S/S后袋离机头外侧					0			0
Back Pocket width @ top后袋上宽					0			1/2
Back Pocket width @ bttm后袋底宽					0			1/2
Back Pocket Height @ Center后袋中高					0			1/2
Back Pocket Height @ Side后袋侧高					0			1/2
YOKE AND BELT LOOP DETAILS机头耳仔细节								
Yoke Height @ CB机头中高	0	0	0		0	0	0	0
Yoke Height @ S/S机头边高	0	0	0		0	0	0	0
Belt Loop width @ center耳仔宽	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
Belt Loop height @ center耳仔长	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2
Belt Loop placement @ S/S耳仔离侧骨距离	1	1	1	1	1	1	1	1

DSL TECHNOLOGY, INC

STYLE#	DSL-JFW22	PO.#	ES2024FW-0329
FABRIC#		DATE:	MAR.05/2024
CONTENTS	65% cotton 33% poly 2%spandex		
FITS	HIGH RISE LEG STREIGHT		
COLOUR	LIGHT/MED/DARK		
FACTORY			



确认版

洗水不要猫须

DSL TECHNOLOGY INC				CONTENTS	6 5 % Cotton, 3 3 % Polyester, 2% Spandex						
STYLE#	DSL-JFW23	P. O #	ES2024FW-0329			DARK/ MED/ LIGHT/BLACK				FABRIC	
CUSTOMER		FACTORY				HIGH RISE BOOTCUT				DATE	
POINT OF MEASUREMENT		SIZE PECS								TOLERANCE	
	0	1	3	5	7	9	11	13			
1	WAIST	25	26	27	28	29	30	31	32	1/2	
2	HIGH HIP (6" UP FROM CROTCH , 3POINT)									1/2	
3	LOW HIP (3" UP FROM CROTCH, 3 POINT)	33	34	35	36	37	38	39 1/2	41		
4	FRONT RISE(INCLUDE W.B)	10 1/4	10 1/2	10 3/4	11	11 1/4	11 1/2	11 3/4	12		
5	BACK RISE (INCLUDE W.B)	13 3/4	14	14 1/4	14 1/2	14 3/4	15	15 1/4	15 1/2		
6	THIGH (1" BELOW FROM CROTCH)	18 1/2	19	19 1/2	20	20 1/2	21	21 1/2	22		
7	MID. THIGH (6" BELOW FROM CROTCH)										
8	KNEE (12" BELOW FROM CROTCH)	14	14 1/2	15	15 1/2	16	16 1/2	17	17 1/2		
9	CALF (18" BELOW FROM CROTCH)										
10	LEG OPENING	18 1/2	19	19 1/2	20	20 1/2	21	21 1/2	22		
11	INSEAM (1 1/4" DOUBLE FOLDED CUFFED)										
12	INSEAM (UNCUFFED)	30	30	30	30	30	30	30	30		
13	BACK Pkt Plcm fm CB (HALF WIDTH)	1 1/8	1 1/8	1 1/8	1 1/8	1 1/8	1 1/8	1 1/8	1 1/8		
14	BACK POCKET TOP WIDTH	5 1/2	5 1/2	5 1/2	5 1/2	5 1/2	5 1/2	5 1/2	5 1/2		
15	BACK POCKET BOTTOM WIDTH	4 3/4	4 3/4	4 3/4	4 3/4	4 3/4	4 3/4	4 3/4	4 3/4		
16	BACK POCKET POINT LENGTH	5 5/8	5 5/8	5 5/8	5 5/8	5 5/8	5 5/8	5 5/8	5 5/8		
17	BACK POCKET SIDE LENGTH	4 7/8	4 7/8	4 7/8	4 7/8	4 7/8	4 7/8	4 7/8	4 7/8		
18	BACK Pkt. Plcm fm WAIST SEAM @CB	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4		
19	BACK Pkt. Plcm fm WAIST SEAM @SIDESEAM	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4		
20	BACK YOKE LENGTH(CENTER)	2	2	2	2	2	2	2	2		
21	BACK YOKE LENGTH(SIDE SEAM)	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4		
22	FRONT POCKET OPENING @ WB SEAM	3 3/8	3 3/8	3 3/8	3 3/8	3 3/8	3 3/8	3 3/8	3 3/8		
23	FRONT POCKET OPENING @ SIDE SEAM	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2		
24	COIN POCKET TOP WIDTH	2 5/8	2 5/8	2 5/8	2 5/8	2 5/8	2 5/8	2 5/8	2 5/8		
25	COIN POCKET PLACEMENT (from waist SEAM)	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4		
26	COIN POCKET PLACEMENT (from side SEAM)	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8		
27	ZIPPER LENGTH	5	5	5	5	5	5	5	5		
28	WAIST BAND HEIGHT	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2		
29	BOTTOM HEM STITCH HEIGHT	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2		
30	BELT LOOP WIDTH X LENGTH	1/2 X 2 1/2									
31	I STITCH LENGTH X WIDTH	1/8									



确认版

洗水不要猫须



客户图片版，口袋改正常斜口袋

DSL TECHNOLOGY INC						CONTENTS	6 5 % Cotton, 3 3 % Polyester, 2% Spandex						
STYLE#		DSL-JFW24		P.O #	ES2024FW-0329			DARK/ MED/ LIGHT/BLACK			FABRIC		
CUSTOMER				FACTORY				HIGH RISE BOOTCUT			DATE		
POINT OF MEASUREMENT				SIZE PECS							TOLERANCE		
				0	1	3	5	7	9	11		13	
1	WAIST	25	26	27	28	29	30	31	32				
2	HIGH HIP (6" UP FROM CROTCH , 3POINT)												
3	LOW HIP (3" UP FROM CROTCH, 3 POINT)	33	34	35	36	37	38	39 1/2	41				
4	FRONT RISE(INCLUDE W.B)	10 1/4	10 1/2	10 3/4	11	11 1/4	11 1/2	11 3/4	12				
5	BACK RISE (INCLUDE W.B)	13 3/4	14	14 1/4	14 1/2	14 3/4	15	15 1/4	15 1/2				
6	THIGH (1" BELOW FROM CROTCH)	18 1/2	19	19 1/2	20	20 1/2	21	21 1/2	22				
7	MID. THIGH (6" BELOW FROM CROTCH)												
8	KNEE (12" BELOW FROM CROTCH)	14	14 1/2	15	15 1/2	16	16 1/2	17	17 1/2				
9	CALF (18" BELOW FROM CROTCH)												
10	LEG OPENING	18 1/2	19	19 1/2	20	20 1/2	21	21 1/2	22				
11	INSEAM (1 1/4' DOUBLE FOLDED CUFFED)												
12	INSEAM (UNCUFFED)	30	30	30	30	30	30	30	30				
13	BACK Pkt Plcm fm CB (HALF WIDTH)	1 1/8	1 1/8	1 1/8	1 1/8	1 1/8	1 1/8	1 1/8	1 1/8				
14	BACK POCKET TOP WIDTH	5 1/2	5 1/2	5 1/2	5 1/2	5 1/2	5 1/2	5 1/2	5 1/2				
15	BACK POCKET BOTTOM WIDTH	4 3/4	4 3/4	4 3/4	4 3/4	4 3/4	4 3/4	4 3/4	4 3/4				
16	BACK POCKET POINT LENGTH	5 5/8	5 5/8	5 5/8	5 5/8	5 5/8	5 5/8	5 5/8	5 5/8				
17	BACK POCKET SIDE LENGTH	4 7/8	4 7/8	4 7/8	4 7/8	4 7/8	4 7/8	4 7/8	4 7/8				
18	BACK Pkt. Plcm fm WAIST SEAM @CB	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4				
19	BACK Pkt. Plcm fm WAIST SEAM @SIDESEAM	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4				
20	BACK YOKE LENGTH(CENTER)	2	2	2	2	2	2	2	2				
21	BACK YOKE LENGTH(SIDE SEAM)	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4				
22	FRONT POCKET OPENING @ WB SEAM	3 3/8	3 3/8	3 3/8	3 3/8	3 3/8	3 3/8	3 3/8	3 3/8				
23	FRONT POCKET OPENING @ SIDE SEAM	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2				
24	COIN POCKET TOP WIDTH	2 5/8	2 5/8	2 5/8	2 5/8	2 5/8	2 5/8	2 5/8	2 5/8				
25	COIN POCKET PLACEMENT (from waist SEAM)	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4				
26	COIN POCKET PLACEMENT (from side SEAM)	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8				
27	ZIPPER LENGTH	5	5	5	5	5	5	5	5				
28	WAIST BAND HEIGHT	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2				
29	BOTTOM HEM STITCH HEIGHT	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2				
30	BELT LOOP WIDTH X LENGTH	1/2 X 2 1/2											
	TORQUING		CROTCH			PUCKERING				NEED U			
	BACK CENTER		BACK NEED CURVE			BACK CENTER				SHAPE			
	SIDE SEAM		FRONT NEED CURVE			SIDE SEAM							
						FRONT THIGH							



确认版

洗水不要猫须



客户图片版，

