



# Safety Data Sheet

**Report no.** : GSL20231027006  
**Applicant** : Shantou Youjia E-Commerce Co.,Ltd.  
**Address** : Huarun Building, No.95,Changping Road,  
Longhu District ,Shantou City  
**Product Name** : JAKEHOE Rust Remover Paint for Metal  
**Composition/Ingredient** : SEE SECTION 3 ON THE SDS  
**Summary** : AS PER REQUEST, THE CONTENTS AND FORMATS OF THE  
SDS ARE PREPARED IN ACCORDANCE WITH REGULATION  
(EC) NO 1907/2006, ITS AMENDMENT REGULATION (EU) NO  
2020/878, (EC) NO 1272/2008 AND ARE PROVIDED PER  
ATTACHED.  
**Print Date** : Jan. 02,2024  
**Version** : 1.0  
**Revision** : Jan. 02,2024



Greatesting Service Shanghai Co.,Ltd.  
上海量通检测技术有限公司

如相关项目未取得资质认定,结果仅作为科研、教学或内部质量控制之用,不作为社会公正性数据。  
未经本机构书面批准,部分复制报告无效。

除非另有说明,本检测报告所显示的结果仅指实验室接收和检测的样品,且该样品仅保留 30 天。

以上样品及信息由客户提供及确认,本公司不负责样品的真伪性,不承担证实客户提供信息的准确性、适当性和完整性责任。

If the project has not been assessed for competence, the results will only be used for scientific research, teaching or internal quality control, not as social justice data.

Part copy report is invalid without the approval of the written documents of the testing organization.

Unless otherwise stated, the results shown in this test report refer only to samples received and tested by the laboratory and retained for 30 days only.

The above samples and information are provided and confirmed by the customer, this company is not responsible for the authenticity of the samples, and does not assume the

responsibility of verifying the accuracy, appropriateness and integrity of the information provided by the customer.

The whole responsibility of Greatesting Service (Shanghai) Co., Ltd is to ensure that this job has been performed according to our Quality System and complying contract and

legal conditions. This company bear only limited liability such as within 5 times of the cost of the test item and do not undertake any joint liability caused by this document.

Reproduction of this document is only valid if it is done completely and under the written permission of Greatesting Service (Shanghai) Co., Ltd.

If you happen to have any complaints, please do it by sending email to info@greatesting.com and referring to this report number.

10/F, 1# Building, No.2899 South Lianhua Road, Minghang District, Shanghai, China

上海市闵行区莲花南路 2899 号莲谷科技园 1 号楼 10 层

t (86-21)64788791

f (86-21)64788792

Http://www.greatesting.com

info@greatesting.com

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****• 1.1 Product identifier****• Trade name:**

JAKEHOE Rust Remover Paint for Metal

**• Other means of identification:**

Registration number: No available data.

UFI code: No available data.

**• 1.2 Relevant identified uses of the substance or mixture and uses advised against on****• Application of the substance/ mixture:**

Domestic uses, Rust Remover Paint for Metal

**• Uses advised against:**

No available data.

**• Reason why uses advised against:**

No available data.

**• 1.3 Details of the supplier of the safety data sheet****• Manufacturer/Supplier:**

Shantou Youjia E-Commerce Co.,Ltd.

Huarun Building, No.95, Changping Road,

Longhu District, Shantou City

Tel: +086 13342745877

National contact: Zhou Yuhua

**• Only Representative/other EU contact point:**

No information available.

**• Further information obtainable from:**

Shantou Youjia E-Commerce Co.,Ltd.

**• 1.4 Emergency telephone number**

Tel: +086 13342745877(24 hours available)

**SECTION 2: Hazards identification****• 2.1 Classification of the substance or mixture****• 2.1.1 Classification according to regulation (EC) 1272/2008:**

| Regulation (EC) No 1272/2008 [CLP] | Classification procedure |
|------------------------------------|--------------------------|
| Skin Irrit.2, H315                 | Additivity approach      |
| Eye Dam. 1, H318                   | Additivity approach      |

**• 2.1.2 Additional information:**

For full text of Hazard- and EU Hazard-statements: see SECTION 16

**Prevention:**

P101If medical advice is needed, have product container or label at hand.

P102Keep out of reach of children.

P103Read label before use.

**Response:**

Not applicable

**Storage:**

Not applicable

如相关项目未取得资质认定,结果仅作为科研、教学或内部质量控制之用,不作为社会公正性数据。

未经本机构书面批准,部分复制报告无效。

除非另有说明,本检测报告所显示的结果仅指实验室接收和检测的样品,且该样品仅保留 30 天。

以上样品及信息由客户提供及确认,本公司不负责样品的真伪性,不承担证实客户提供信息的准确性、适当性和完整性责任。

If the project has not been assessed for competence, the results will only be used for scientific research, teaching or internal quality control, not as social justice data.

Part copy report is invalid without the approval of the written documents of the testing organization.

Unless otherwise stated, the results shown in this test report refer only to samples received and tested by the laboratory and retained for 30 days only.

The above samples and information are provided and confirmed by the customer, this company is not responsible for the authenticity of the samples, and does not assume the responsibility of verifying the accuracy, appropriateness and integrity of the information provided by the customer.

The whole responsibility of Greatesting Service (Shanghai) Co., Ltd is to ensure that this job has been performed according to our Quality System and complying contract and legal conditions. This company bear only limited liability such as within 5 times of the cost of the test item and do not undertake any joint liability caused by this document.

Reproduction of this document is only valid if it is done completely and under the written permission of Greatesting Service (Shanghai) Co., Ltd.

If you happen to have any complaints, please do it by sending email to info@greatesting.com and referring to this report number.

10/F, 1# Building, No.2899 South Lianhua Road, Minghang District, Shanghai, China

上海市闵行区莲花南路 2899 号莲谷科技园 1 号楼 10 层

t (86-21)64788791

f (86-21)64788792

Http://www.greatesting.com

info@greatesting.com





Dispose of contents/container to an approved waste disposal plant.

Physical and chemical hazards  
Not classified based on available information.

Health hazards  
Not classified based on available information.

Environmental hazards  
Not classified based on available information.

Other hazards which do not result in classification  
No data available.

### • 2.3 Other hazards

None of the ingredients ( $\geq 0.1\%$ ) meets the criteria for PBT/vPvB in accordance with Annex XIII.

None of the ingredients ( $\geq 0.1\%$ ) is identified as having endocrine disrupting properties according to Regulation (EU) 2017/2100.

## SECTION 3: Composition/information on ingredients

### • 3.1 Substance

Not applicable

### • 3.2 Mixtures

• Description of the mixture: JAKEHOE Rust Remover Paint for Metal

| Ingredients:   |            |           |           |        |   |                       |
|----------------|------------|-----------|-----------|--------|---|-----------------------|
| Substance      | CAS No.    | Index No. | EC No.    | w/w, % | CLP Classification  | SCL/M-factor/ATE      |
| CITRIC ACID    | 77-92-9    | -         | 613-603-4 | 20     | None  | -                     |
| EPOXY RESIN    | 24969-06-0 | -         | -         | 20     | None  | -                     |
| ZINC POWDER    | -          | -         | 231-791-2 | 20     | None  | -                     |
| LEVELING AGENT | -          | -         | -         | 20     | None  | -                     |
| STABILIZER     | -          | -         | -         | 20     | Acute Tox. 4, H302<br>Eye Irrit. 2, H319<br>Aquatic Chronic 3, H412 | ATE (oral)=1000 mg/kg |

### Additional information:

For full text of H-statements, see SECTION 16.





#### **SECTION 4: First aid measures**

##### **· 4.1 Description of first aid measures**

###### **General advice:**

Get medical attention if you feel unwell.

###### **After inhalation:**

Supply with fresh air.

Get medical attention if you feel unwell.

###### **After skin contact:**

Wash with plenty of water.

If there are signs of irritation or other symptoms seek medical attention.

###### **After eye contact:**

Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do.

Continue rinsing.

Immediately call a POISON CENTER/ doctor.

###### **After swallowing:**

Rinse mouth.

Call a POISON CENTER/doctor if you feel unwell.

##### **· 4.2 Most important symptoms and effects, both acute and delayed:**

Acute and delayed effects are as indicated in sections 2 and 11.

##### **· 4.3 Indication of any immediate medical attention and special treatment needed:**

Treat according to symptom, there is not known specific medicine.

#### **SECTION 5: Fire-fighting measures**

##### **· 5.1 Extinguishing media**

###### **· Suitable extinguishing agents:**

Use CO<sub>2</sub>, chemical powder, water spray or alcohol resistant foam to extinguish.

###### **· Unsuitable extinguishing media:**

Water with full jet.

##### **· 5.2 Special hazards arising from the substance or mixture:**

May form corrosive/irritative dust in air under fire.

##### **· 5.3 Advice for firefighters**

###### **Protective equipment:**

Wear self-contained breathing apparatus for firefighting.





## **SECTION 6: Accidental release measures**

### **· 6.1 Personal precautions, protective equipment and emergency procedures**

#### **· 6.1.1 For non-emergency personnel**

##### **Protective equipment:**

*Wear protective gloves/eye protection/face protection.*

##### **Emergency procedures:**

*Avoid contact with eyes and skin.*

#### **· 6.1.2 For emergency responders**

##### **Personal protective equipment:**

*Wear protective gloves/eye protection/face protection.*

### **· 6.2 Environmental precautions:**

*Prevent further leakage or spillage if safe to do so.*

*Prevent spillage from entering drains, sewer, basement or confined areas.*

*If the spillage contaminates rivers, lakes or drains inform respective authorities.*

### **· 6.3 Methods and material for containment and cleaning up:**

*Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).*

*Dispose contaminated material as waste according to section 13.*

### **· 6.4 Reference to other sections:**

*See section 7 for information on safe handling.*

*See section 8 for information on personal protection equipment.*

*See section 13 for disposal information.*

## **SECTION 7: Handling and storage**

### **· 7.1 Precautions for safe handling:**

*Ensure adequate ventilation at workplace.*

*Wear protective gloves/eye protection/face protection.*

*Avoid contact with eyes and skin.*

### **· Information about fire and explosion protection:**

*Normal measures for preventive fire protection.*

### **· 7.2 Conditions for safe storage, including any non-compatibility**

#### **· Requirements to be met by storerooms and receptacles:**

*Store in a cool and well-ventilated place.*

#### **· Information about storage in one common storage facility:**

*Keep away from foodstuffs.*

#### **· Further information about storage conditions:**

*Store locked up.*

#### **· Storage class:**

*12.*

### **· 7.3 Specific end use(s):**

*See section 1.2.*



**SECTION 8: Exposure controls/personal protection****• 8.1 Control parameters****• Ingredients with limit values that require monitoring at the workplace:**

| Country                       | Limit value - Eight hours             | Limit value - Short term                        |
|-------------------------------|---------------------------------------|---|
| 1310-58-3 Potassium hydroxide |                                       |   |
| Austria                       | 2 mg/m <sup>3</sup> inhalable aerosol | -   |
| Denmark                       | 2 mg/m <sup>3</sup>                   | 2 mg/m <sup>3</sup>                             |
| Finland                       | -                                     | 2 mg/m <sup>3</sup> Ceiling limit value         |
| France                        | -                                     | 2 mg/m <sup>3</sup>                             |
| Hungary                       | 2 mg/m <sup>3</sup>                   | 2 mg/m <sup>3</sup>                             |
| Ireland                       | -                                     | 2 mg/m <sup>3</sup> 15 minutes reference period |
| Poland                        | 0.5 mg/m <sup>3</sup>                 | 1 mg/m <sup>3</sup>                             |
| Spain                         | 2 mg/m <sup>3</sup>                   | -   |
| Sweden                        | 1 mg/m <sup>3</sup>                   | 2 mg/m <sup>3</sup> Ceiling limit value         |
| United Kingdom                | -                                     | 2 mg/m <sup>3</sup>                             |

**• DNELs:**

| DNEL type                              | DNEL worker value              | DNEL consumer value    |
|--|--------------------------------|------------------------|
| 9002-92-0 Dodecyl alcohol, ethoxylated |                                |                        |
| Systemic effects                       | Long-term, inhalation exposure | 1.64 mg/m <sup>3</sup> |
|  | Long-term, dermal exposure     | 467 µg/kg bw/day       |
|  | Long-term, oral exposure       | -                      |

**• PNECs:**

| PNEC type                              | Value                  |
|--|------------------------|
| 9002-92-0 Dodecyl alcohol, ethoxylated |                        |
| Freshwater                             | 13.9 µg/L              |
| Intermittent releases (freshwater)     | 24.3 µg/L              |
| Marine water                           | 1.39 µg/L              |
| Intermittent releases (marine water)   | 2.43 µg/L              |
| Sewage treatment plant (STP)           | 250 µg/L               |
| Sediment (freshwater)                  | 111 µg/kg sediment dw  |
| Sediment (marine water)                | 11.1 µg/kg sediment dw |
| Soil                                   | 14.1 µg/kg soil dw     |

**• Additional information:**

The lists valid during the marking were used as basis.

**• 8.2 Exposure controls**

• Based on the composition shown in section 3, the following measures are suggested for occupational safety measure.

**• Appropriate engineering controls:**

Handle in accordance with good industrial hygiene and safety practice.

Wash hands and face before breaks and at the end of work.

Take off contaminated clothing and wash it before reuse.

See section 7 for information about design of technical facilities.

**• Personal protective equipment****• Eye and face protection:**

**Safety glasses**

Protective goggles with side-shields.



如相关项目未取得资质认定，结果仅作为科研、教学或内部质量控制之用，不作为社会公正性数据。

未经本机构书面批准，部分复制报告无效。

除非另有说明，本检测报告所显示的结果仅指实验室接收和检测的样品，且该样品仅保留 30 天。

以上样品及信息由客户提供及确认，本公司不负责样品的真伪性，不承担证实客户提供信息的准确性、适当性和完整性责任。

If the project has not been assessed for competence, the results will only be used for scientific research, teaching or internal quality control, not as social justice data.

Part copy report is invalid without the approval of the written documents of the testing organization.

Unless otherwise stated, the results shown in this test report refer only to samples received and tested by the laboratory and retained for 30 days only.

The whole responsibility of Greatesting Service (Shanghai) Co., Ltd is to ensure that this job has been performed according to our Quality System and complying contract and legal conditions. This company bear only limited liability such as within 5 times of the cost of the test item and do not undertake any joint liability caused by this document.

The above samples and information are provided and confirmed by the customer, this company is not responsible for the authenticity of the samples, and does not assume the responsibility of verifying the accuracy, appropriateness and integrity of the information provided by the customer.

Reproduction of this document is only valid if it is done completely and under the written permission of Greatesting Service (Shanghai) Co., Ltd.

If you happen to have any complaints, please do it by sending email to info@greatesting.com and referring to this report number.

10/F, 1# Building, No.2899 South Lianhua Road, Minghang District, Shanghai, China

上海市闵行区莲花南路 2899 号莲谷科技园 1 号楼 10 层

t (86-21)64788791

f (86-21)64788792

Http://www.greatesting.com

info@greatesting.com





- Skin protection
- Hand protection:

**Protective gloves**

Gloves made from butyl rubber Neoprene™ rubber, nitrile rubber (thickness > 0.3mm; breakthrough times up to 480 minutes).

- Other skin protection:

**Face protection****Safety boots****Safety overalls**

Face shield, gauntlets, boots, bodysuit are recommended.

- Respiration protection:

**Respiratory equipment**

Use positive pressure breathing mask if concentrations in air could exceed occupational exposure standard.

- Thermal hazards:

The gauntlets, boots, bodysuit and other personal protective equipment must be flame retardant and no heat-conducting.

- Environmental exposure controls:

Control measures must be made in accordance with Community environmental protection legislation.

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties**

|  |                               |
|--|-------------------------------|
| • Physical state   | Liquid                        |
| • Color  | White                         |
| • Odor & Odor threshold                                    | Smell                         |
| • Melting point/freezing point (or softening point/range)  | Not determined                |
| • Boiling point or initial boiling point and boiling range | >200°C (Polyethylene Glycols) |
| • Flammability   | Not flammable liquid          |
| • Lower and upper explosion limit                          | Not determined                |
| • Flash point  | 240°C (Polyethylene Glycols)  |
| • Auto-ignition temperature                                | 360°C (Polyethylene Glycols)  |
| • Decomposition temperature                                | Not determined                |
| • pH   | 6.8 (20°C, 100g/L)            |
| • Kinematic viscosity (mm <sup>2</sup> /s)                 | Not determined                |
| • Solubility   | Not determined                |
| • Partition coefficient n-octanol/water (log value)        | Not applicable                |
| • Vapor pressure   | Not determined                |
| • Density and/or relative density                          | Not determined                |
| • Relative vapor density                                   | Not determined                |
| • Particle characteristics                                 | Not determined                |

**9.2 Other information****9.2.1 Information with regard to physical hazard classes:**

|              |                |
|--------------|----------------|
| • Explosives | Not applicable |
|--------------|----------------|

如相关项目未取得资质认定, 结果仅作为科研、教学或内部质量控制之用, 不作为社会公正性数据。  
未经本机构书面批准, 部分复制报告无效。

除非另有说明, 本检测报告所显示的结果仅指实验室接收和检测的样品, 且该样品仅保留 30 天。

以上样品及信息由客户提供及确认, 本公司不负责样品的真伪性, 不承担证实客户提供信息的准确性、适当性和完整性责任。

If the project has not been assessed for competence, the results will only be used for scientific research, teaching or internal quality control, not as social justice data.

Part copy report is invalid without the approval of the written documents of the testing organization.

Unless otherwise stated, the results shown in this test report refer only to samples received and tested by the laboratory and retained for 30 days only.

The above samples and information are provided and confirmed by the customer, this company is not responsible for the authenticity of the samples, and does not assume the responsibility of verifying the accuracy, appropriateness and integrity of the information provided by the customer.

The whole responsibility of Gretesting Service (Shanghai) Co., Ltd is to ensure that this job has been performed according to our Quality System and complying contract and legal conditions. This company bear only limited liability such as within 5 times of the cost of the test item and do not undertake any joint liability caused by this document.

Reproduction of this document is only valid if it is done completely and under the written permission of Gretesting Service (Shanghai) Co., Ltd.

If you happen to have any complaints, please do it by sending email to [info@gretesting.com](mailto:info@gretesting.com) and referring to this report number.

10/F, 1# Building, No.2899 South Lianhua Road, Minghang District, Shanghai, China

上海市闵行区莲花南路 2899 号莲谷科技园 1 号楼 10 层

t (86-21)64788791

f (86-21)64788792

[Http://www.gretesting.com](http://www.gretesting.com)

[info@gretesting.com](mailto:info@gretesting.com)





|   |                |
|---|----------------|
| • Flammable gases   | Not applicable |
| • Aerosols  | Not applicable |
| • Oxidising gases   | Not applicable |
| • Gases under pressure  | Not applicable |
| • Flammable liquids   | Not applicable |
| • Flammable solids  | Not applicable |
| • Self-reactive substances and mixtures                                     | Not applicable |
| • Pyrophoric liquids  | Not applicable |
| • Pyrophoric solids   | Not applicable |
| • Self-heating substances and mixtures                                      | Not applicable |
| • Substances and mixtures, which emit flammable gases in contact with water | Not applicable |
| • Oxidizing liquids   | Not applicable |
| • Oxidizing solids  | Not applicable |
| • Organic peroxides   | Not applicable |
| • Corrosive to metals   | Not applicable |
| • Desensitised explosives   | Not applicable |
| • 9.2.2 Other safety characteristics  |                |
| • Mechanical sensitivity  | Not applicable |
| • Self-accelerating polymerisation temperature                              | Not applicable |
| • Formation of explosible dust/air mixtures                                 | Not applicable |
| • Acid/alkaline reserve   | Not applicable |
| • Evaporation rate  | Not determined |
| • Miscibility   | Not determined |
| • Conductivity  | Not applicable |
| • Corrosiveness   | Not applicable |
| • Gas group   | Not applicable |
| • Redox potential   | Not applicable |
| • Radical formation potential   | Not applicable |
| • Photocatalytic properties   | Not applicable |
| • Other physical and chemical parameters                                    | Not determined |

**SECTION 10: Stability and reactivity****• 10.1 Reactivity:**

The product is non-reactive under normal conditions of use, storage and transport.

**• 10.2 Chemical stability:**

Under storage at normal ambient temperatures, the product is stable.

**• 10.3 Possibility of hazardous reactions:**

No known hazardous reaction.

**• 10.4 Conditions to avoid:**

High temperature.

**• 10.5 Incompatible materials:**

Strong oxidizing agent and acids.

**• 10.6 Hazardous decomposition products:**

Does not decompose when used for intended uses.



Greatesting Service Shanghai Co., Ltd.  
上海量远检测技术有限公司

如相关项目未取得资质认定，结果仅作为科研、教学或内部质量控制之用，不作为社会公正性数据。  
未经本机构书面批准，部分复制报告无效。

除非另有说明，本检测报告所显示的结果仅指实验室接收和检测的样品，且该样品仅保留 30 天。

以上样品及信息由客户提供及确认，本公司不负责样品的真伪性，不承担证实客户提供信息的准确性、适当性和完整性责任。

If the project has not been assessed for competence, the results will only be used for scientific research, teaching or internal quality control, not as social justice data.

Part copy report is invalid without the approval of the written documents of the testing organization.

Unless otherwise stated, the results shown in this test report refer only to samples received and tested by the laboratory and retained for 30 days only.

The above samples and information are provided and confirmed by the customer, this company is not responsible for the authenticity of the samples, and does not assume the responsibility of verifying the accuracy, appropriateness and integrity of the information provided by the customer.

The whole responsibility of Greatesting Service (Shanghai) Co., Ltd is to ensure that this job has been performed according to our Quality System and complying contract and legal conditions. This company bear only limited liability such as within 5 times of the cost of the test item and do not undertake any joint liability caused by this document.

Reproduction of this document is only valid if it is done completely and under the written permission of Greatesting Service (Shanghai) Co., Ltd.

If you happen to have any complaints, please do it by sending email to [info@greatesting.com](mailto:info@greatesting.com) and referring to this report number.

10/F, 1# Building, No.2899 South Lianhua Road, Minghang District, Shanghai, China

上海市闵行区莲花南路 2899 号莲谷科技园 1 号楼 10 层

t (86-21)64788791

f (86-21)64788792

[Http://www.greatesting.com](http://www.greatesting.com)

[info@greatesting.com](mailto:info@greatesting.com)



**SECTION 11: Toxicological information****• 11.1 Information on toxicological effects****• Acute toxicity:**

Based on available data, the classification criteria are not met.

**• LD50/LC50 values relevant for classification:**

9002-92-0 Dodecyl alcohol, ethoxylated

|            |           |           |
|------------|-----------|-----------|
| Guinea pig | LD50-oral | 384mg/kg  |
| Mouse      | LD50-oral | 3500mg/kg |
| Rat        | LD50-oral | 8600mg/kg |

1310-58-3 Potassium hydroxide

|     |           |          |
|-----|-----------|----------|
| Rat | LD50-oral | 273mg/kg |
|-----|-----------|----------|

Remark: All the above data are from literature.

**• Skin corrosion/irritation:**

Causes skin irritation.

**• Serious eyes damage/ irritation:**

Causes serious eye damage.

**• Respiratory or skin sensitization:**

Based on available data, the classification criteria are not met.

**• Germ cell mutagenicity:**

Based on available data, the classification criteria are not met.

**• Carcinogenicity:**

Based on available data, the classification criteria are not met.

**• Reproductive toxicity:**

Based on available data, the classification criteria are not met.

**• STOT-single exposure:**

Based on available data, the classification criteria are not met.

**• STOT-repeated exposure:**

Based on available data, the classification criteria are not met.

**• Aspiration hazard:**

Based on available data, the classification criteria are not met.

**• 11.2 Information on other hazards****• 11.2.1 Endocrine disrupting properties:**

None of the ingredients ( $\geq 0.1\%$ ) is considered to have endocrine-disrupting properties with respect to humans, as none of them meet the criteria set out in section A of Regulation (EU) No 2017/2100.

**• 11.2.2 Other information:**

No known other relevant information on adverse health effects.



**SECTION 12: Ecological information****• 12.1 Toxicity:****LC50/EC50/NOEC values relevant for classification:**

9002-92-0 Dodecyl alcohol, ethoxylated

Short-term toxicity to fish

LC50 (48 h) 1.5 mg/L

Long-term toxicity to fish

NOEC (28 days) 139 µg/L

Short-term toxicity to aquatic invertebrates

LC50 (24 h) 9.45 mg/L

Long-term toxicity to aquatic invertebrates

NOEC (21 days) 144 µg/L

Toxicity to aquatic algae and cyanobacteria

EC50 for freshwater algae 236.9 µg/L

Toxicity to microorganisms

EC50 2.5 mg/L

**• 12.2 Persistence and degradability:**

9002-92-0

Dodecyl alcohol, ethoxylated

Readily biodegradable in water

**• 12.3 Bio-accumulative potential:**

9002-92-0

Dodecyl alcohol, ethoxylated

Log Pow= 1.937

**• 12.4 Mobility in soil:**

9002-92-0

Dodecyl alcohol, ethoxylated

Log Koc=2.18

**• 12.5 Results of PBT and vPvB assessment:**

This mixture does not contain any substances ( $\geq 0.1\%$ ) that are assessed to be a PBT or a vPvB.

**• 12.6 Endocrine disrupting properties:**

None of the ingredients ( $\geq 0.1\%$ ) is considered to have endocrine-disrupting properties with respect to non-target organisms, as none of them meet the criteria set out in section B of Regulation (EU) No 2017/2100.

**• 12.7 Other adverse effects:**

No known other adverse effects.

**• 12.8 Additional ecological information****• General notes:**

WGK1 (German Regulation) (self-assessment): slightly hazardous to water.

Do not allow large quantities of the product to reach ground water, water course or sewage system.

**SECTION 13: Disposal consideration****• 13.1 Waste treatment methods****• Recommendation:**

Small quantities can be disposed together with household garbage.

Large quantities disposed must be in according to the local/regional/national/ international regulation.

**• 13.2 Un-cleaned packaging****• Recommendation:**

Dispose of contents/container in according to the local/regional/national/ international regulation.

**SECTION 14: Transport information****• ADR/ADN/RID (2023 Edition)**

This product is not subject to ADR/ADN/RID.

**• IATA-DGR (64th)**

This product is not subject to IATA-DGR.

**• IMO/IMDG (40-20)**

This product is not subject to IMO/IMDG code.



如相关项目未取得资质认定，结果仅作为科研、教学或内部质量控制之用，不作为社会公正性数据。  
未经本机构书面批准，部分复制报告无效。

除非另有说明，本检测报告所显示的结果仅指实验室接收和检测的样品，且该样品仅保留 30 天。

以上样品及信息由客户提供及确认，本公司不负责样品的真伪性，不承担证实客户提供信息的准确性、适当性和完整性责任。

If the project has not been assessed for competence, the results will only be used for scientific research, teaching or internal quality control, not as social justice data.

Part copy report is invalid without the approval of the written documents of the testing organization.

Unless otherwise stated, the results shown in this test report refer only to samples received and tested by the laboratory and retained for 30 days only.

The above samples and information are provided and confirmed by the customer, this company is not responsible for the authenticity of the samples, and does not assume the responsibility of verifying the accuracy, appropriateness and integrity of the information provided by the customer.

The whole responsibility of Greatesting Service (Shanghai) Co., Ltd is to ensure that this job has been performed according to our Quality System and complying contract and legal conditions. This company bear only limited liability such as within 5 times of the cost of the test item and do not undertake any joint liability caused by this document.

Reproduction of this document is only valid if it is done completely and under the written permission of Greatesting Service (Shanghai) Co., Ltd.

If you happen to have any complaints, please do it by sending email to info@greatesting.com and referring to this report number.

10/F, 1# Building, No.2899 South Lianhua Road, Minghang District, Shanghai, China

上海市闵行区莲花南路 2899 号莲谷科技园 1 号楼 10 层

t (86-21)64788791

f (86-21)64788792

Http://www.greatesting.com

info@greatesting.com

**SECTION 15: Regulatory information****• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****• MAK (German Maximum Workplace Concentration):**

None of the ingredients is listed.

**• Directive 2012/18/EU****• Named dangerous substances-ANNEX I:**

None of the ingredients is listed.

**• Seveso category:**

Not applicable

**• Qualifying quantity (tonnes) for the application of lower-tier requirements:**

Not applicable

**• Qualifying quantity (tonnes) for the application of upper-tier requirements:**

Not applicable

**• National regulations.****• Water hazard class:**

WGK1 (German Regulation) (self-assessment): slightly hazardous to water.

**• Other regulations, limitations and prohibitive regulations****• SVHC Candidate list of REACH Regulation Annex XIV Authorization:**

None of the ingredients is listed.

**• REACH Regulation Annex XVII Restriction:**

None of the ingredients is listed.

**• REACH Regulation Annex XIV Authorization List:**

None of the ingredients is listed.

**• 15.2 Chemical safety assessment:**

A Chemical Safe Assessment has not been carried out.

**SECTION 16: Other information****• 16.1 Indication of changes:**

None.

**• 16.2 Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road).

IMDG: International Maritime Code for Dangerous Goods.

IATA: International Air Transport Association.

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

PBT: Persistent, Bio accumulative and Toxic

vPvB: very persistent and very bio accumulative

SVHC: Substance of Very High Concern

LD50: Lethal dose, 50 percent

LC50: Lethal concentration, 50 percent

EC50: Concentration of maximal effect, 50 percent

NOEC: No observed effect concentration

Met. Corr. 1: Corrosive to metals, hazard category 1

Acute Tox. 4: Acute toxicity, hazard category 4

Skin Corr. 1A: Skin corrosion/irritation, hazard category 1A

Skin Corr. 1B: Skin corrosion/irritation, hazard category 1B



Gretesting Service Shanghai Co., Ltd.  
上海量通检测技术有限公司

如相关项目未取得资质认定, 结果仅作为科研、教学或内部质量控制之用, 不作为社会公正性数据。

未经本机构书面批准, 部分复制报告无效。

除非另有说明, 本检测报告所显示的结果仅指实验室接收和检测的样品, 且该样品仅保留 30 天。

以上样品及信息由客户提供及确认, 本公司不负责样品的真伪性, 不承担证实客户提供信息的准确性、适当性和完整性责任。

If the project has not been assessed for competence, the results will only be used for scientific research, teaching or internal quality control, not as social justice data.

Part copy report is invalid without the approval of the written documents of the testing organization.

Unless otherwise stated, the results shown in this test report refer only to samples received and tested by the laboratory and retained for 30 days only.

The above samples and information are provided and confirmed by the customer, this company is not responsible for the authenticity of the samples, and does not assume the responsibility of verifying the accuracy, appropriateness and integrity of the information provided by the customer.

The whole responsibility of Gretesting Service (Shanghai) Co., Ltd is to ensure that this job has been performed according to our Quality System and complying contract and legal conditions. This company bear only limited liability such as within 5 times of the cost of the test item and do not undertake any joint liability caused by this document.

Reproduction of this document is only valid if it is done completely and under the written permission of Gretesting Service (Shanghai) Co., Ltd.

If you happen to have any complaints, please do it by sending email to [info@gretesting.com](mailto:info@gretesting.com) and referring to this report number.

10/F, 1# Building, No.2899 South Lianhua Road, Minghang District, Shanghai, China

上海市闵行区莲花南路 2899 号莲谷科技园 1 号楼 10 层

t (86-21)64788791

f (86-21)64788792

[Http://www.gretesting.com](http://www.gretesting.com)

[info@gretesting.com](mailto:info@gretesting.com)



Skin Irrit. 2: Skin corrosion/irritation, hazard category 2  
Eye Dam. 1: Eye damage/irritation, hazard category 1  
Eye Irrit. 2: Eye damage/irritation, hazard category 2  
Aquatic Chronic 3: Long-term (chronic) aquatic hazard, hazard category 3

• **16.3 Key literature references and sources for data:**

<https://echa.europa.eu/>  
<https://chem.nlm.nih.gov/>  
<https://www.osha.gov/>  
<http://www.unece.org/>  
<http://www.imo.org/>  
<https://www.dguv.de/>  
<https://epa.govt.nz/>  
<http://www.ilo.org/>  
<https://www.phmsa.dot.gov/>

• **16.4 Classification for mixtures and used evaluation method according to regulation (EC) 1272/2008 [CLP]:**  
See section 2.1 (classification).

• **16.5 Relevant H- and EUH-phrases (number and full text):**

H290 May be corrosive to metals  
H302 Harmful if swallowed  
H314 Causes severe skin burns and eye damage  
H315 Causes skin irritation  
H318 Causes serious eye damage  
H319 Causes serious eye irritation  
H412 Harmful to aquatic life with long lasting effects

• **16.6 Training advice:**

Workers must be trained in general and specific aspects of safe work procedures for this chemical. Workers need easy to understand guidelines and instructions for safe working with this chemical. Instructions, guidelines and legally required documents need to be available for workers in easy to understand language.

• **16.7 Further information:**

The contents and format of this SDS are in accordance with Regulation (EC) No 1907/2006, its amendment Regulation (EU) No 2020/878 and (EC) No 1272/2008.

**DISCLAIMER OF LIABILITY:**

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

\*\*\*\*\*

End of safety data sheet



Greatesting Service Shanghai Co., Ltd.  
上海量远检测技术有限公司

如相关项目未取得资质认定，结果仅作为科研、教学或内部质量控制之用，不作为社会公正性数据。  
未经本机构书面批准，部分复制报告无效。

除非另有说明，本检测报告所显示的结果仅指实验室接收和检测的样品，且该样品仅保留 30 天。

以上样品及信息由客户提供及确认，本公司不负责样品的真伪性，不承担证实客户提供信息的准确性、适当性和完整性责任。

If the project has not been assessed for competence, the results will only be used for scientific research, teaching or internal quality control, not as social justice data.

Part copy report is invalid without the approval of the written documents of the testing organization.

Unless otherwise stated, the results shown in this test report refer only to samples received and tested by the laboratory and retained for 30 days only.

The above samples and information are provided and confirmed by the customer, this company is not responsible for the authenticity of the samples, and does not assume the

responsibility of verifying the accuracy, appropriateness and integrity of the information provided by the customer.

The whole responsibility of Greatesting Service (Shanghai) Co., Ltd is to ensure that this job has been performed according to our Quality System and complying contract and

legal conditions. This company bear only limited liability such as within 5 times of the cost of the test item and do not undertake any joint liability caused by this document.

Reproduction of this document is only valid if it is done completely and under the written permission of Greatesting Service (Shanghai) Co., Ltd.

If you happen to have any complaints, please do it by sending email to [info@greatesting.com](mailto:info@greatesting.com) and referring to this report number.

10/F, 1# Building, No.2899 South Lianhua Road, Minghang District, Shanghai, China

上海市闵行区莲花南路 2899 号莲谷科技园 1 号楼 10 层

t (86-21)64788791

f (86-21)64788792

[Http://www.greatesting.com](http://www.greatesting.com)

[info@greatesting.com](mailto:info@greatesting.com)